


SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

DEPARTMENT OF CIVIL ENGINEERING
COUNSELLING REPORT

Academic Year: 2019-2020 (SEMESTER-I)

DATE: 18-09-2019

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
CE II YEAR	Ms. G.Sahithi (18X41A0103 - 18X41A0112) & (19X45A0101-19X45A0109)	1. Fans are not working 2.Board invisible	1. Condensers changed, fans problem rectified. 2. Curtains are arranged in the class room
	Ms. A.Krishna Priya (18X41A0113-18X41A0121) & (19X45A0119-19X45A0127)	1.Lights are not working 2.Fans are not working	1.New tube lights are placed in the class room 2. Condensers changed, fans problem rectified.
	Mr. J.Purna Chandra Rao (18X41A0123- 18X41A0131) & (19X45A0110-19X45A0118)	1.Need industrial visits 2.Back logs are more	1. Industrial tours are being planned 2. Remedial classes are provided
	Ms. K.Rupasri (18X41A0132- 18X41A0136) & (19X45A0128-19X45A0140)	1. Need club hours 2. Windows are improper	1.Extra hours are provided on Saturday 2.Carpentor repaired the window doors
	Mr. R. Durga Rao (18X41A0137 - 18X41A0147) & (19X45A0151-19X45A0157)	1.Lights are not working 2.Need industrial tours	1.New tube lights are placed in the class room 2.Industrial tours are being planned
	Mr. A.Anoop Kumar (18X41A0148-18X41A0155) & (19X45A0141-19X45A0150)	1.Board not visible 2.Require more lab work	1.Curtains are arranged in the class room 2.Extra hours provided for lab work
	Ms. Ch.Mallika Chowdary (17X41A0101- 17X41A0110) & (18X45A0101-18X45A0110)	1.Fans are not working 2.Need one more drinking water system	1.Condensers changed, fans problem rectified. 2. Water purifier is placed.
Mr. Ch.Suresh (17X41A0111 - 17X41A0119) & (18X45A0111-18X45A0121)	1.Board not visible 2.Need competitive exam training	1.Curtains are arranged in the class room 2.Competitive exam training is provided	
Mr. K.Kiran (17X41A0121 - 17X41A0130) & (18X45A0122-18X45A0133)	1. Board is not visible 2. Need extra class to clear backlogs	1 Curtains are arranged in the class room 2.Remedial classes has been arranged	


 PRINCIPAL
 SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY

Enikepadu, Vijayawada 521108

Approved by AICTE, Affiliated to JNTUK, Kakinada

(ISO 9001:2015 Certified Institution)

CE III YEAR	Mr. M.Karthik kumar (17X41A0131- 17X41A0139) & (18X45A0134-18X45A0144)	1.Fans are not working 2.Board is not clear	1.Condensers changed, fans problem rectified. 2. Curtains are arranged in the class room
	Mr. V.Chinni (17X41A0140 - 17X41A0148) & (18X45A0145-18X45A0156)	1.Need CRT classes 2.Labs are not maintained well	1.Campus recruitment training(CRT) is provided 2. Labs are well cleaned & maintained regularly.
	Mr. Dr.T.Satyanarayana (18X45A0157 - 18X45A0168)	1. Systems are not working 2. Need extra drinking water system	1. Systems are serviced and brought into usage 2. Water purifier is placed.
CE IV YEAR	Ms. N.Kranthi Rekha (16X41A0101-16X41A0110) & (17X45A0101-17X45A0110)	1.Need to maintain washrooms 2.Board is not visible	1. Washroom cleaned and properly arranged 2. Curtains are arranged in the class room
	Ms. E.Ushasree (16X41A0111-16X41A0118) & (17X45A0146-17X45A0154)	1. Systems are not working 2. Switches not working properly in class room	1. Systems are serviced and brought into usage 2. Problem rectified by replacing the switch board
	Mr. K.Chandra Padmakar (16X41A0119-16X41A0126) & (17X45A0111-17X45A0121)	1. Board is not visible 2. Need extra drinking water system	1. Curtains are arranged in the class room 2. Water purifier is placed.
	Mr. P.S.V Bharat (16X41A0127- 16X41A0135) & (17X45A0122-17X45A0132)	1.Need software training programs 2.Need extra hours for clearing backlogs	1.Software training programs are provided 2. Extra hours are provided
	Mr. Jakeer Hussain (16X41A0136 - 16X41A0142), (17X45A0133-17X45A0143) & 15X41A0162	1.Need software training 2.Require Reasoning and aptitude sessions	1. Software training is arranged 2. Advised to staff members to teach reasoning and aptitude classes

NPL
Signature of Counselling Incharge

J. Lakshmi
Signature of HOD

Principal
PRINCIPAL
SRK Institute of Technology
ENIKEPADU, VIJAYAWADA-521 108.




SRK INSTITUTE OF TECHNOLOGY
Enikepadu, Vijayawada 521108
Approved by AICTE, Affiliated to JNTUK, Kakinada
(ISO 9001:2015 Certified Institution)


**DEPARTMENT OF ELECTRICAL AND ELECTRONICS
ENGINEERING
COUNSELLING REPORT**


Academic Year: 2019-2020 (SEMESTER-I)


DATE: 7/10/2019

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
EEE II YEAR	Mr. S. Nageswara Rao (18X41A0201-19X45A0211)	1. No proper board 2. No proper chairs 3. No proper fans	1. Board replaced 2. Chairs repaired 3. Fans repaired
	Ms. T.V.Maha Lakshmi (19X45A0212-19X45A0234)	1. Lights not working 2. No proper view of board	1. Lights were replaced 2. Curtains were arranged
EEE IV YEAR	Ms. B. Indraja (16X41A0201- 17X45A0210)	1. Campus recruitment training is needed 2. Required water purifier	3. Campus recruitment training is provided 1. Bought a purifier
	Mr. N.E. Keerthi Chandra (17X45A0211-17X45A0227)	1. Fans problem 2. No proper view of board	1. Fans were repaired 2. Curtains arrange


Signature of Counselling Incharge


Signature of HOD


PRINCIPAL
SRK Institute of Technology
ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

DEPARTMENT OF MECHANICAL ENGINEERING
COUNSELLING REPORT

Academic Year: 2019-2020 (SEMESTER-I)

DATE: 7/10/2019


Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
ME II YEAR	Mr. G. Durga Prasad (18X41A0301 - 18X41A0321)	1.Black board is not visible 2.Ventilation problem	1.Old black board was replaced by new black board 2.Resolved the ventilation problem
	Mr. D. Sree Ram Prasad (18X41A0322, 18X41A0328 & 19X45A0301 - 19X45A0313)	1.Fans are not working properly 2. Water problem	1. Repaired the fans 2. Repaired the filters
	Mr. V. Bala China Lingam (19X45A0314 - 19X45A0333)	1.Black board is not visible 2.Electrical wiring is not done properly in the classroom 3.Switch boards are broken in the classrooms	1.Old black board was replaced by new black board 2.Wiring problem rectified 3.Replaced the damaged switch boards with new boards
	Mr. R. Karun Kumar (19X45A0334 - 19X45A0353)	1.Canteen food is not good 2. Fans are not working properly 3. Ventilation problem	1.Improved the quality of food 2. Fans are repaired 3.Resolved the ventilation problem
	Ms. Y. Durga Bhavani (17NQ1A306, 19X45A0354 - 19X45A0360)	1. Fans are not working properly 2. Black board is not visible 3. Floor tiles are damaged in the class room	1.Repaired the fans 2. Old black board was replaced by new black board 3. Damaged tiles are replaced with new tiles
	Ms. Y. Durga Bhavani (17X41A0301- 17X41A0323)	1. Need sports hour 2. Fans are not working properly 3. Black board is not visible	1.We have include sports hour in the time table 2.Repaired the fans Old black board was replaced by new black board
	Ms. D.Haritha Brahma (17X41A0326 -	1.Computers are insufficient	1.Provided more computers in the lab

[Signature]
 PRINCIPAL



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

ME III YEAR	17X41A0348)	in lab 2.Drinking water problem	2.Repaired the water purifier
	Mr. V. Kranthi Kumar (18X45A0301 - 18X45A0320)	1.Water problem 2.Chairs problem 3. Fans are not working properly	1.Repaired the water filter 2.Replaced the chairs 3. Repaired the fans
	Mr. Ch.Karthik sai (18X45A0321 - 18X45A0340)	1.No dustbins in classroom 2.Some of the lab equipment is not working properly	1.Provided dust bins in the every class room 2. Repaired the lab equipment
	Mr. Z.Jithendra (18X45A0341 - 18X45A0360)	1.Black board is not visible 2.Sports period required 3.Fans are not working properly	1.Old black board was replaced by new black board 2.We have include sports hour in the time table 3.fans are repaired
	Mr. R.Kiran Kumar (18X45A0361 - 18X45A0368)	1.Lights are not working 2.Sports period required 3.Fans are not working properly	1.Repaired the lights 2.We have include sports hour in the time table 3.Repaired the fans
ME IV YEAR	Mr. A .Stanly Kumar (15X41A0353 & 16X41A0301 -16X41A0321)	1.Fans are not working properly 2.Computers are insufficient in lab	1.Repaired the fans 2.Provided more computers in the lab 3.Provided more computers in the lab
	Mr. D. Rognath Rao (15X41A0357,16X41A0323 - 16X41A0343)	1.Lights and fans are not working 2.Water problem	1.Repaired and replaced the lights and fan 2.Repaired the water purifier
	Mr. V. Pavan Kumar (15JP1A0362, 16X41A0344,16X41A0352, & 17X45A0301 - 17X45A0310)	1.Chairs problem 2.Lights and fans are not working properly 3.Projector required in the classrooms	1.Repaired chairs 2.Replaced the lights and fans 3.Provided new projector
	Ms. P. Bhagya Lakshmi (17X45A0311 - 17X45A0330)	1.No dustbins in the classrooms 2.Black board is not visible 3.Need sports hour	1.Provided dust bins in the every class room 2.Repaired the fans Old black board was replaced by new black 3. We have include sports




SRK INSTITUTE OF TECHNOLOGY


Enikepadu, Vijayawada 521108


Approved by AICTE, Affiliated to JNTUK, Kakinada

(ISO 9001:2015 Certified Institution)


			hour in the time table
	Mr. U. Tanoj (17X45A0331 - 17X45A0350)	1.Electricity problem 2.Sufficient books are not available in the library 3.No dustbins in the classrooms	1. Electricity problem rectified 2. Provided more books in the library 3. Provided dust bins in the every class room
	Mr. R. Kiran Kumar (17X45A0351 - 17X45A0361)	1.Fans are not working properly 2.Computer are insufficient in lab	1.Repaired the fans 2.Provided more computers in the lab


Signature of Counselling Incharge


Signature of HOD



PRINCIPAL
SRK Institute of Technology
ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

**DEPARTMENT OF ELECTRONICS AND COMMUNICATION
 ENGINEERING
 COUNSELLING REPORT**

Academic Year: 2019-2020 (SEMESTER-I)

DATE: 28-09-2019

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
ECE-A II YEAR	Mr.B.Ravi (18X41A0401-18X41A0423)	1. Fans are not working. 2. Floor tails are damaged in the class room.	1. Condensers changed, fans problem rectified. 2.All the damaged tails are replaced
	Mr.P.Raveendra (18X41A0424-18X41A0445)	1. Board is not visible from behind. 2. No projector in the class room	1. Curtains are arranged in the class room. 2. Portable projector is placed in the class room
	Dr.S.Sri Gowri (18X41A0440-18X41A0460)	1. There is no personality development hour in the time table. 2. Chairs are insufficient	1. Every Saturday 4:00PM to 5:00PM is scheduled. 2. Extra chairs are placed in the class room
ECE -B II YEAR	Mr. V. Sekhara Babu (18X41A0461- 18X41A0482)	1. Water purifier is not working. 2.Ventilation problem in the class room	1. Water purifier is replaced. 2. Class room is changed
	Mr. D. Ravitej (18X41A0483-18X41A04A4)	1. Waiting room is improper. 2. No playground to play games	1. Waiting room cleaned and properly arranged. 2. Play ground arranged behind the canteen
	Dr.B.Vanajakshi (18X41A04A5- A8,17X41A0498, 19X45A0409-424)	1. Floor tails are damaged in the class room 2.Writing desk's are insufficient	1. All the damaged tails are replaced. 2. Extra desk's are placed in the class room
ECE-A III YEAR	Mr. P.Ratna Bhaskar (17X41A0401- 17X41A0424)	1. Workshop's are required. 2. Ventilation problem in the class room	1. Workshop's are provided. 2. Curtains are arranged in the class room
	Mr. B.S.S.Telesh (17X41A0426-17X41A0452)	1. Black board is not visible. 2. Water purifier is not working.	1. Curtains are arranged in the class room to improve the visibility of the board. 2. Water purifier is repaired
	Ms. T. Manogna (17X41A0453-17X41A0460, 18X45A0420-18X45A0430, 16X41A0474,79,80)	1. Class room furniture is not in working condition. 2.Systems are not in working condition	1. Class room furniture is replaced. 2.Systems are serviced and brought into usage

(Signature)
 PRINCIPAL

SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

ECE-B III YEAR	Ms.N. Mayuri (17X41A0462-17X41A0488)	1. Fans are not working. 2. Insufficient light in the class room	1. Condensers changed, fans problem rectified. 2. New tube lights are placed in the class room
	Ms. V. Sri Lakshmi (17X41A0489-17X41A04B1)	1. Lunch break is insufficient. 2. No playground to play games	1. Lunch break timings are changed. 2. Play ground arranged behind the canteen
	Ms. S. Neeraja (17X41A04B2-17X41A04B4, 18X45A0401-18X45A0419, 16X45A04B5, 17HP1A0440)	1. Girls waiting room is improper. 2. Lab equipment is not functioning well	1. Girls waiting room cleaned and properly arranged. 2. Technician repaired the lab equipment.
ECE-A IV YEAR	Ms. MD. Shabeena Begum (16X41A0401-16X41A0422)	1. Placements updates are improper. 2. No projector in the class room	1. New whatsapp group created. 2. Portable projector is placed in the class room
	Mr. K. Venkateswara Rao (16X41A0424-16X41A0445)	1. Floor tails are damaged in the class room. 2. Permissions are needed for Internship program	1. All the damaged tails are replaced. 2. Permissions are granted for Internship program
	Ms. N.V.K. Maha Lakshmi (16X41A0448-16X41A0460, 17X45A0401-17X45A0407)	1. Library books are insufficient. 2. Campus recruitment training (CRT) is needed	1. New books are placed in the Library. 2. Campus recruitment training (CRT) is provided
ECE-B IV YEAR	Mr. P. Koteswara Rao (16X41A0461- 16X41A0486)	1. Lab equipment is not functioning well. 2. Insufficient light in the class room.	1. Technician repaired the lab equipment. 2. New tube lights are placed in the class room
	Mr. G. Surya Prakash (16X41A0487- 16X41A04A8)	1. Placements updates are improper. 2. Function generators are not working properly	1. New whatsapp group created. 2. Technician repaired the function generators
	Ms. A.V.P. Sarvari (16X41A04A9-16X41A04B4, 17X45A0410-17X45A0424, 15X41A0485, 468)	1. Campus recruitment training (CRT) is needed. 2. Lab chairs are insufficient.	1. Campus recruitment training (CRT) is provided. 2. Extra lab furniture is provided

P. Bal
 Signature of Counselling Incharge

S. Sri Gowri
 Signature of HOD

PRINCIPAL

SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)


ECE-B III YEAR	Ms.N. Mayuri (17X41A0462-17X41A0488)	1. Fans are not working. 2. Insufficient light in the class room	1. Condensers changed, fans problem rectified. 2. New tube lights are placed in the class room
	Ms. V. Sri Lakshmi (17X41A0489-17X41A04B1)	1. Lunch break is insufficient. 2. No playground to play games	1. Lunch break timings are changed. 2. Play ground arranged behind the canteen
	Ms. S. Neeraja (17X41A04B2-17X41A04B4, 18X45A0401-18X45A0419, 16X45A04B5, 17HP1A0440)	1. Girls waiting room is improper. 2. Lab equipment is not functioning well	1. Girls waiting room cleaned and properly arranged. 2. Technician repaired the lab equipment.
ECE-A IV YEAR	Ms. MD. Shabeena Begum (16X41A0401-16X41A0422)	1. Placements updates are improper. 2. No projector in the class room	1. New whatsapp group created. 2. Portable projector is placed in the class room
	Mr. K. Venkateswara Rao (16X41A0424-16X41A0445)	1. Floor tails are damaged in the class room. 2. Permissions are needed for Internship program	1. All the damaged tails are replaced. 2. Permissions are granted for Internship program
	Ms. N.V.K. Maha Lakshmi (16X41A0448-16X41A0460, 17X45A0401-17X45A0407)	1. Library books are insufficient. 2. Campus recruitment training(CRT) is needed	1. New books are placed in the Library. 2. Campus recruitment training(CRT) is provided
ECE-B IV YEAR	Mr. P. Koteswara Rao (16X41A0461- 16X41A0486)	1. Lab equipment is not functioning well. 2. Insufficient light in the class room.	1. Technician repaired the lab equipment. 2. New tube lights are placed in the class room
	Mr. G. Surya Prakash (16X41A0487- 16X41A04A8)	1. Placements updates are improper. 2. Function generators are not working properly	1. New whatsapp group created. 2. Technician repaired the function generators
	Ms. A.V.P. Sarvari (16X41A04A9-16X41A04B4, 17X45A0410-17X45A0424, 15X41A0485,468)	1. Campus recruitment training (CRT) is needed. 2. Lab chairs are insufficient.	1. Campus recruitment training (CRT) is provided. 2. Extra lab furniture is provided

Phal
 Signature of Counselling Incharge

[Handwritten Signature]

S-Sri Gowri
 Signature of HOD

PRINCIPAL
 SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)
 Department of Computer Science and Engineering

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
COUNSELLING REPORT

YEAR & SEM: I Semester (A.Y:2019-2020)

DATE: 7/10/2019

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
II Btech Sec A & B	Ms. A.Radhika (18X41A0501-18X41A0521)	1.Motivation class for placement 2.Heavy rush in library during lunch 3.Latest journals on ML and AI	1.Informed to TPO 2.Allotted each class a particular time. 3.Will be provided in department library too
	Ms T.Prasanna (18X41A0522-18X41A0541)	1.Extra class for M1 and M2 2. required break in afternoon session. 3. Need more guidance for AI advancements	1.Forwarded to Management 2. break is adjusted in timetable 3. Forwarded to management
	Ms M.Anitha (18X41A0542-18X451A560)	1.Asked about GATE coaching 2.Need transport facility to Guntur	1.Informed to management 2.Informed to management
	Mr N.Sudhakar reddy (18X41A0561-581)	1.Guidance for IELTS coaching 2. more PPT classes are required	1.Informed to management 2. Arranged as per the schedule
	Mr M. Naresh Babu (18X41A0582-5A1)	1.Wanted more guidance on all clearance of subjects 2. wanted extra classes for M2	1.Arranged classes for slow learners 2. Informed to concerned faculty
	Ms B.Asha Latha (18X41A05A2-517)	1. Water problem in washroom. 2. Need transport facility from Ibrahimpatnam. 3. No neatness in canteen.	1. Water problem rectified. 2. Intimated to transport in charge to rectify the problem. 3. Intimated to concern authority about quality in canteen.
III Btech Sec A & B	Ms K.Sri Lakshmi (17X41A0501-521)	1.Transport facility 2. Heavy rush in library	1.Working on this issue with management 2.Every class is allotted a library hour
	Mr Ch .Satyanarayana	1.latest journals	1.Forwarded to

(Signature)
 PRINCIPAL

SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
Enikepadu, Vijayawada 521108
Approved by AICTE, Affiliated to JNTUK, Kakinada
(ISO 9001:2015 Certified Institution)
Department of Computer Science and Engineering


	17X41A0523-542(20)	2. Drinking water problem	management 2. rectified with the help of management
	Ms P .Jaya Sri (17X41A0543-560)	1.Need more books on AI and ML 2.Enhancement of coding skills	1. Informed to management 2.Arranged workshops for coding in python.
	Dr N.Neelima Priyanka (17X41A0561-580)	1.Need aptitude and reasoning classes 2.Heavy rush in buses	1. Informed to HOD and arranged CRT classes 2. Informed to management
	Mr. T Nagaraju (17X41A0581-5A1)	1.Break required during after noon sessions 2. need extra hours for clarifying doubts	1. Informed to HOD 2. Allotted study classes for clarifying doubts
	Mr S. Suresh Babu (17X41A05A2-517)	1.No neatness in canteen 2. heavy rush in library	1.Informed to concerned authority. 2. Requested to librarian
IV Btech Sec A & B	Mr.P.Bhagya Raju (16X41A0501-520)	1.Need materials for subjects 2.Additional classes for Java	1.Materials provided 2.conduct classes for C ,C++, Java
	Ms J. Niranjani (16X41A0521-541)	1.Requesting additional books in library 2. Need industrial visit	1.Informed to Principal
	Mr D.V.V.Brahmachari (16X41A0521-541)	1.Bus seats are not sufficient 2.Need games hour	1.Made bus as two trips
	Ms N.V.Madhu Bindu (16X41A0564-587)	1.Water problem in wash rooms 2. Fans and tube lights in girls washrooms	1. Plumbing done in all wash rooms 2. Informed to concerned authority
	Mr M.V.Sumanth (16X41A0588-5A9)	1.availability of hygienic food in canteen 2. Need aptitude and reasoning classes	1.Informed to concerned authority 2.Arranged CRT training
	Mr D.V.Subba Rao (16X41A05B0-17X45A0505)	1.GATE coaching required	1.Provided with the help of management

B. Anus 7/10/19
 Signature of Counselling In charge

Dreath 7/10/19
 Signature of HOD

[Handwritten Signature]

PRINCIPAL
SRK Institute of Technology
ENIKEPADU, VIJAYAWADA-521 108,




SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)


DEPARTMENT OF INFORMATION TECHNOLOGY
COUNSELLING REPORT

Academic Year: 2019-2020 (SEMESTER-I)


DATE: 28/9/2019

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
IT II YEAR	Mrs. A.Veda Sri (18X41A1201-18X41A1228)	1.Improper Systems 2.Improper Software's 3.Need new systems	1.Systems power failures solved 2.Latest software's updated 3.Sufficient systems maintained
	Mr. G.D.K.Kishore (18X41A1229-19X45A1206)	1.Required more practical's 2.Library hours Needed	1.Extra labs taken 2.Tutorials are taken
IT III YEAR	Mrs. P.Rani (17X41A1202-17X41A1224)	1.Career guidance needed 2.More T&P hours required	1.Classes taken to teach about placements 2.Placement cell conducting classes even more
	Mrs. S.Praneetha (17X41A1225-17X41A1248)	1.Chairs are broken 2.Washrooms and cleaning is not proper	1.Chairs replaced 2. Informed to cleaning persons
IT IV YEAR	Mrs. G.SriLakshmi (16X41A1201-16X41A1225)	1.Need Speed Internet 2.Need Latest version Software's in Lab Required counseling about backlogs Need more training for companies	1.Fast Updated versions are maintaining 2.Latest versions upgraded Took extra classes for Backlog students Taking summer coaching for interested students
	Mr. M.Suresh Babu (16X41A1226-16X41A1250)	1. Required more practical's 2.Classes are not cleaning	1.Extra labs taken 2.Informed to cleaning persons


 Signature of Counselling Incharge


 PRINCIPAL
 SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.


 Signature of HOD



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

**DEPARTMENT OF INTEGRATED MASTER OF BUSINESS
 ADMINISTRATION
 COUNSELLING REPORT**

Academic Year: 2019-2020 (SEMESTER-I)

DATE: 30-09-2019


Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
IMBA II YEAR	Mr. B.Chinni (18X41M0001 – 18X41M0018)	1.Drinking water problem in lunch time	1.Provided one extra water cooler
	Mr. SK.Shafullah (18X41M0019 – 18X41M0036)	1.subject handouts are needed	1.instructed to every faculty for providing subject handouts
	Mr .B.Naveen (18X41M0037 – 18X41M0053)	1.More management events are required	1. Planned to conduct management events every Thursday.
IMBA III YEAR	Mr. B.Krishnaiah (17X41M0001 – 17X41M0018)	1.Required one more fan in class room	1. provided one fan in their class room
IMBA IV YEAR	Ms. M. Indrāja (16X41M0001 – 16X41M0016)	1.Special classes to backlog subjects	1,Planned to conduct remedial class for backlogs
	Ms. B.Indira (16X41M0017 – 16X41M0032)	1. Improve the quality of food in canteen.	1.Intimated to concern authority about quality of food in canteen
IMBA V YEAR	Mr. BVSS Subba Rao (15X41M0001 – 15X41M0013) & 14X41M0004	1.Better to coach on numerical ability	1.Planned to conduct class on numerical ability
IMBA I YEAR	Mr.G.Kiran 19X41M0001-19X41M0015	1.Need one sports hour	1.provided every Tuesday one sports hour
	Mr.P.Nagasinivasa Rao 19X41M0016-19X41M0030	1.Appoint Female Nurse in First Aid Room	1.Intimated to concern authority to solve the problem
	Dr.M.Veerabhadra Rao 19X41M0031-19X41M46	1.Rest room is not cleaning regularly	1.Poblem rectified
	Ms.Anitha.B 19X41M0047-19X41M0066	1.Yoga classes are needed	1. conducted yoga class

[Signature]
 Signature of Counselling Incharge

[Signature]
 PRINCIPAL

[Signature]
 Signature of HOD

SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

DEPARTMENT OF CIVIL ENGINEERING
COUNSELLING REPORT

Academic Year: 2019-2020 (SEMESTER-II)

DATE: 12-03-2020

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
CE II YEAR	Ms. A.Thanusree (18X41A0103 - 18X41A0112) & (19X45A0101-19X45A0111)	1.Need software training 2.Need industrial tours	1. Software training programs are provided 2. Industrial tours are planned
	Ms. A.Krishna Priya (18X41A0113-18X41A0121) & (19X45A0123- 19X45A0133)	1.Floor tiles are damaged in the class room 2.Need extra hours for clearing backlogs	1. All the damaged tails are replaced. 2. Remedial classes are provided
	Mr. R.Durga Rao (18X41A0123- 18X41A0132) & (19X45A0112- 19X45A0122)	1.Need additional hours for clearing backlogs 2.Heavy rush in library during lunch.	1.Remedial classes has been arranged 2.Provided slots to the students to visit library
	Mr. K.Chandra Padmakar (18X41A0133- 18X41A0141) & (19X45A0134- 19X45A0144)	1.Fans are not working 2.Tiles are damaged in the class room	1. Condensers changed, fans problem rectified. 2. All the damaged tails are replaced.
	Mr. M.Karthik Kumar (18X41A0142 - 18X41A0155) & (19X45A0151- 19X45A0157)	1.Need an industrial tours 2.Heavy rush in library during lunch.	1.Industrial tours are being planned 2.Provided slots to the students to visit library
	Ms G.Anuradha (19X45A0145-19X45A0150)	1.Fans are not working	1.Condensers hanged, fans problem rectified.
CE III YEAR	Ms. G.Anuradha (18X45A0102-18X45A0106)	1.Need placement training	1. Placement training is provided
	Dr.T.Satyanarayana (17X41A0101 - 17X41A0109) & (18X45A0109- 18X45A0119)	1. Need internships 2. Need additional classes for Autocad	1. internships are provided 2. additional classes for Autocad are provided
	Ms. E.Ushasree (17X41A0110 - 17X41A0118) & (18X45A0133- 18X45A0143)	1. Need internships 2. Need CRT programs	1. Internships are being provided. 2.Campus recruitment training(CRT) is provided

(Handwritten Signature)

PRINCIPAL
SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)


	Ms. N.Karanthi Rekha (17X41A0119- 17X41A0129) & (18X45A0120- 18X45A0132)	1. Need internships 2. Girls waiting room is improper.	1. Internships are being provided 2. Girls waiting room cleaned and properly arranged
	Mr. P.S.V.Bharath (17X41A0130 - 17X41A0138) & (18X45A0144- 18X45A0156)	1. Fans are not working 2. Lab equipment is not functioning well	1. Condensers changed, fans problem rectified. 2. Technician repaired the lab equipment
CE IV YEAR	Ms. G.Sahithi (16X41A0101-16X41A0110) & (17X45A0101- 17X45A0113)	1. Board is not visible 2. Need carrier guidance classes	1. Curtains are arranged in the class room 2. Carrier guidance classes are provided
	Mr. J.Purna Chandra rao (16X41A0111-16X41A0118) & (17X45A0112- 17X45A0122)	1. Need placements 2. No neatness in canteen	1. Informed to TRO through proper channel 2. Intimated to concern authority about quality in canteen
	Mr. A.Anoop (16X41A0119-16X41A0126) & (17X45A0128- 17X45A0140)	1. Need competitive exam training 2. Need additional classes for clearing backlogs	1. competitive exam training is provided 2. Remedial classes are provided
	Ms. Ch.Mallika Chowdary (16X41A0127- 16X41A0134) & (17X45A0141- 17X45A0154)	1. Need sports Kits 2. Lab equipment is not functioning well	1. New sports kits are provided 2. Technician repaired the lab equipment
	Ms. G.Anuradha (16X41A0135 - 16X41A0142) & 15X41A0162	1. Need competitive exam training 2. Need additional classes for clearing backlogs	1. competitive exam training is provided 2. Remedial classes are provided

WKL
Signature of Counselling Incharge

[Signature]
PRINCIPAL

[Signature]
Signature of HOD

SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108,



SRK INSTITUTE OF TECHNOLOGY
Enikepadu, Vijayawada 521108
Approved by AICTE, Affiliated to JNTUK, Kakinada
(ISO 9001:2015 Certified Institution)

**DEPARTMENT OF ELECTRICAL AND ELECTRONICS
ENGINEERING
COUNSELLING REPORT**

Academic Year: 2019-2020 (SEMESTER-II)


DATE: 17/03/2020

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
EEE II YEAR	Mr. K. Satyanarayana (18X41A0201-19X45A0203)	1.Window doors are not working properly 2.No proper chairs	1.Window doors were repaired 2.Chairs were repaired
	Mr. N.E.Keerthi Chandra (19X45A0204-19X45A0218)	1.Water problem 2.Black board is not visible	1.Arranged purifier 2.Tube lights were arranged
	Ms. T.V.Maha Lakshmi (19X45A0219-19X45A0234)	1.No hygienic toilets 2. Meters problem	1.Scavenger was informed of the problem and strictly instructed to keep the washrooms clean 2.Meters were repaired
EEE IV YEAR	Mr. S.Nageswara Rao (16X41A0201- 17X45A0208)	1.Classroom is not cleaning regularly 2.Placement data not updated	1.Sweepers were informed and strictly instructed to maintain the classroom clean 2.Whatsapp group created for the updation
	Ms. B.Indraja (17X45A0210-17X45A0227)	1.No projector in the classroom 2.Internet facility not good	1.Portable projector is arranged in the classroom 2.LAN connection is arranged in the laboratory

S. Nagaraj
Signature of Counselling Incharge

S. Sri Guna
Signature of HOD

PRINCIPAL
SRK Institute of Technology
ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

DEPARTMENT OF MECHANICAL ENGINEERING
COUNSELLING REPORT

Academic Year: 2019-2020 (SEMESTER-II)

DATE: 17/03/2020

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
ME II YEAR	Mr. G. Durga Prasad (18X41A0301 - 18X41A0321)	1. Washrooms are not cleaning properly 2. Lights are not working	1. Proper cleaning is done 2. Repaired and replaced the lights
	Mr. D. Sree Ram Prasad (18X41A0322, 18X41A0328 & 19X45A0301 - 19X45A0313)	1. Fans are not working properly 2. Water problem 3. Need more benches	1. Repaired the fans 2. Repaired the filters 3. Provided more benches in the classrooms
	Mr. V. Bala china lingam (19X45A0314 - 19X45A0333)	1. Proper cleaning is not done in rooms 2. Washrooms are not cleaning properly 3. Switch boards are broken in the classrooms	1. Cleaning is monitoring daily 2. Proper cleaning is done 3. Broken switch boards are replaced
	Mr. R. Karun kumar (19X45A0334 - 19X45A0353)	1. Classroom furniture is sufficient 2. Ventillation is not good 3. Fans are not working properly	1. Provided more chairs and benches for the students 2. Resolved the ventilation problem 3. Fans are repaired
	Ms. Y. Durga Bhavani (19X45A0354 - 19X45A0360)	1. Need sports hour 2. Fans are not working properly	1. We have include sports hour in the time table 2. Fans are repaired
	Ms. Y. Durga Bhavani (17X41A0301- 17X41A0323)	1. Need sports hour 2. Fans are not working properly 3. Computers are insufficient in lab	1. We have include sports hour in the time table 2. Fans are repaired 3. Provided more computers in the lab
	Ms. D. Haritha Brahma (17X41A0326 - 17X41A0348)	1. Computers screens are not visible clearly 2. There is no sufficient parking space	1. Monitors are replaced 2. College extended the parking space 3. We have conducted

PRINCIPAL

SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)


ME III YEAR		3.Tips for backlogs	remedial classes
	Mr. M. Hari krishna (18X45A0301 - 18X45A0320)	1. Water problem 2. Chairs problem 3. Fans are not working properly	1. Repaired the water filter 2. Replaced the chairs 3. Repaired the fans
	Mr. P. Tarun Naga Venkatesh (18X45A0321 - 18X45A0340)	1. No dustbins in classroom 2. Some of the lab equipment is not working properly	1. Provided dust bins in the every class room 2. Repaired the lab equipment
	Mr. B. Nagendra (18X45A0341 - 18X45A0360)	1. Black board is not visible 2. Sports period required 3. Fans are not working properly	1. Old black board was replaced by new black board 2. We have include sports hour in the time table 3. Fans are repaired
	Mr. R. Kiran Kumar (18X45A0361 - 18X45A0368)	1. Sports period required 2. Lights are not working 3. Ventilation is not good	1. We have include sports hour in the time table 2. Repaired and replaced the lights 3. Resolved the ventilation problem
ME IV YEAR	Mr. A. Stanly Kumar (15X41A0353 & 16X41A0301 - 16X41A0321)	1. Water problem 2. Chairs problem 3. Fans are not working properly	1. Repaired the water filter 2. Replaced the chairs 3. Repaired the fans
	Mr. D. Rognath Rao (16X41A0323 - 16X41A0343)	1. Tables problem in the classroom 2. Ventilation problem	1. Repaired and replaced the tables 2. Resolved the ventilation problem
	Mr. V. Pavan Kumar (15JP1A0362, 16X41A0344, 16X41A0352, & 17X45A0301 - 17X45A0310)	1. Lab equipment problem 2. Required more placements 3. Black board is not visible in the class room	1. Repaired the lab equipment 2. Provided more placements 3. Old black board was replaced by new black board
	Ms. P. Bhagya Lakshmi (17X45A0311 - 17X45A0330)	1. Lights problem in the class room 2. How to clear backlogs	1. Repaired the lights 2. Conducted remedial classes
	Mr. U. Tanoj (17X45A0331 - 17X45A0350)	1. Chairs damaged 2. No sports hour 3. Drinking water problem	1. Repaired the chairs 2. We have include sports hour in the time table 3. Repaired the water


[Signature]
 PRINCIPAL



SRK INSTITUTE OF TECHNOLOGY
Enikepadu, Vijayawada 521108
Approved by AICTE, Affiliated to JNTUK, Kakinada
(ISO 9001:2015 Certified Institution)


			purifier
	Mr. R. Kiran Kumar (17X45A0351 - 17X45A0361)	1.Black board is not visible 2. Floor tiles are damaged in the class room 3.Fans are not working properly	1. Old black board was replaced by new black board 2.Damaged tiles are replaced with new tiles 3. Fans are repaired


Signature of Counselling Incharge


Signature of HOD



PRINCIPAL
SRK Institute of Technology
ENIKEPADU, VIJAYAWADA-521 108,



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)


**DEPARTMENT OF ELECTRONICS AND COMMUNICATION
 ENGINEERING
 COUNSELLING REPORT**

Academic Year: 2019-2020 (SEMESTER-II)

DATE: 18-03-2020

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
ECE-A II YEAR	Ms.AVP Sarvari (18X41A0401-18X41A0423)	1. Water purifier is not working. 2. Windows are improper	1. Water purifier is replaced. 2. Carpenter repaired the window doors
	Mr. B Ravi (18X41A0424-18X41A0445)	1. Labs are not maintained well. 2. Fans are not working	1. Labs are well cleaned & maintained regularly. 2. Condensers changed, fans problem rectified
	Mr. P Raveendra (18X41A0446-18X41A0460, 19X45A0401-408)	1. Multimeters are not functioning. 2. Floor tails are damaged in the class room	1. Batteries are replaced, multimeters are brought into working condition. 2. All the damaged tails are replaced
ECE -B II YEAR	Mr. D Ravi Tej (18X41A0461- 18X41A0482)	1. Black board is not visible. 2. Writing desk's are insufficient	1. Curtains are arranged in the class room to improve the visibility of the board. 2. Extra desk's are placed in the class room
	Mr. G Surya Prakash (18X41A0483-18X41A04A4)	1. Chairs are insufficient. 2. No playground to play games.	1. Extra chairs are placed in the class room. 2. Play ground arranged behind the canteen
	Mr. P Koteswara Rao (18X41A04A5-A8, 17X41A0498,19X45A0409-424)	1. Fans are not working. 2. Insufficient light in the class room	1. Condensers changed, fans problem rectified. 2. New tube lights are placed in the class room
ECE-A III YEAR	Mr. K Venkateswara Rao (17X41A0401- 17X41A0424)	1. Floor tails are damaged in the class room. 2. Permissions are needed for Internship program	1. All the damaged tails are replaced. 2. Permissions are granted for Internship program
	Ms. N Mayuri (17X41A0426-17X41A0452)	1. Lunch break is insufficient. 2. No playground to play games	1. Lunch break timings are changed. 2. Play ground arranged behind the canteen

PRINCIPAL
 SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

	Mr. BSS Tejesh (17X41A0453-17X41A0460, 18X45A0420-18X45A0430, 16X41A0474,79,80)	1. Stationary items are not sufficient in the college store. 2. Systems are not in working condition	1. New stationary items are brought in the college store. 2. Systems are serviced and brought into usage
ECE-B III YEAR	Ms. NVK Maha Lakshmi (17X41A0462-17X41A0488)	1. Lunch break is insufficient. 2. No playground to play games	1. Lunch break timings are changed. 2. Play ground arranged behind the canteen
	Mr. V Sekhara Babu (17X41A0489-17X41A04B1)	1. CRO probes are insufficient. 2. Lab chairs are insufficient	1. New CRO probes are replaced the old probes. 2. Extra lab furniture is provided
	Mr. CH Siva Rajesh (17X41A04B2-17X41A04B4, 18X45A0401-17X45A0419, 17HP1A0440)	1. Heavy rush in library during lunch. 2. No neatness in canteen	1. Provided slots to the students to visit library. 2. 2.Intimated to concern authority about quality in canteen
ECE-A IV YEAR	Ms. V Sri Lakshmi (16X41A0401-16X41A0422)	1. Girls waiting room is improper. 2. Lab equipment is not functioning well	1. Girls waiting room cleaned and properly arranged. 2. Technician repaired the lab equipment.
	Ms. S Neeraja (16X41A0424-16X41A0445)	1. Students request for study hours. 2. switches not working properly in class room	1. Planned study hours to students. 2. Problem rectified by replacing the switch board
	Dr S Sri Gowri (16X41A0448-16X41A0460, 17X45A0401-17X45A0407)	1. Require Reasoning and aptitude sessions	1. Advised to staff members to teach reasoning and aptitude classes
ECE-B IV YEAR	Ms .T Manogna (16X41A0461- 16X41A0486)	1. Placements updates are improper. 2. Campus recruitment training (CRT) is needed.	1. New whatsapp group created. 2. Campus recruitment training (CRT) is provided.
	Mr. P Ratna Bhaskar (16X41A0487- 16X41A04A8)	1. Need more aptitude and communication skills classes 2. Discussed about backlogs & GATE classes	1. Informed to Principal through proper channel 2. Motivated to clear all the backlogs and concentrate on GATE classes
	Dr B Vanajakshi (16X41A04A9-16X41A04B4,	1. No neatness in canteen	1. Intimated to concern authority about quality in

(Signature)
 PRINCIPAL



SRK INSTITUTE OF TECHNOLOGY
Enikepadu, Vijayawada 521108
Approved by AICTE, Affiliated to JNTUK, Kakinada
(ISO 9001:2015 Certified Institution)

	17X45A0410-17X45A0424, 15X41A0485,468)	2.Need more aptitude and communication skills classes	canteen 2.Motivated lo clear all the backlogs and concentrate on GATE
--	---	---	--


Pshal.

Signature of Counselling Incharge

S. Sri Gauri
Signature of HOD

[Handwritten signature in green ink]

PRINCIPAL
SRK Institute of Technology
ENIKEPADU, VIJAYAWADA-521 108.



SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)
 Department of Computer Science and Engineering

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
COUNSELLING REPORT

YEAR & SEM: II Semester (A.Y:2019-2020)

DATE: 17/3/2020

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
II Btech Sec A & B	Ms.A.Radhika (18X41A0501-521)	1. Water problem in washroom. 2. Need transport facility from Ibrahimpatnam. 3. No neatness in canteen.	1. Water problem rectified. 2. Intimated to transport in charge to rectify the problem. 3. Intimated to concern authority about quality in canteen.
	Mr U.Harikrishna (18X41A0522-541)	1.Asked about GATE coaching 2.Need transport facility to Guntur	1.Informed to management 2.Informed to management
	Ms M.Anitha (18X41A0542-560)	1.Guidance for IELTS coaching 2. more PPT classes are required	1.Informed to management 2. Arranged as per the schedule
	Ms B.Asha latha (18X41A0561-581)	1.Extra class for M1 and M2 2. required break in afternoon session. 3. Need more guidance for AI advancements	1.Forwarded to Management 2. break is adjusted in timetable 3. Forwarded to management
	Mr A.Kalyan Kumar (18X41A0582-5A1)	1.Wanted more guidance on all clearance of subjects 2. wanted extra classes for M2	1.Arranged classes for slow learners 2. Informed to concerned faculty
	Mr M.Rithvik (18X41A05A2-517)	1.Motivation class for placement 2.Heavy rush in library during lunch 3.Latest journals on ML and AI	1.Informed to TPO 2.Allotted each class a particular time. 3.Will be provided in department library too
III Btech Sec A & B	Mr Ch. Ambedkar (17X41A0501-523)	1.latest journals needed 2. Drinking water problem	1.Forwarded to management 2. rectified with the help of management
	Mr M.Naresh Babu (17X41A0524-545)	1.Transport facility 2. Heavy rush in library	1.Informed to concerned authority 2.Every class is allotted a

PRINCIPAL

SRK Institute of Technology
ENIKEPADU, VIJAYAWADA-521 108.




SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)
 Department of Computer Science and Engineering

			library hour
	Ms N.V.MadhuBindu (17X41A0561-580)	1.Need aptitude and reasoning classes 2.Heavy rush in buses	1. Informed to HOD and arranged CRT classes 2. Informed to management
	Mr M.V.Sumanth (17X41A0561-580)	1.Need more books on AI and ML 2.Enhancement of coding skills	1. Informed to management 2.Arranged workshops for coding in python.
	Dr N.Neelima Priyanka (17X41A0581-5A1)	1.No neatness in canteen 2. heavy rush in library	1.Informed to concerned authority. 2. Requested to librarian
	Mr D.V.Subba Rao (17X41A05A2-18X45A0517)	1.Break required during after noon sessions 2. need extra hours for clarifying doubts	1. Informed to HOD 2. Allotted study classes for clarifying doubts
IV Btech Sec A & B	Mr N.Sudhakar Reddy (16X41A0501-520)	1.Requesting additional books in library 2. Need industrial visit	1.Informed to Principal
	Mr Y. Malleswara Rao (16X41A0521-541)	1.Bus seats are not sufficient 2.Need games hour	1.Made bus as two trips
	Mr T.Ganesh (16X41A0542-563)	1.availability of hygienic food in canteen 2. Need aptitude and reasoning classes	1.Informed to concerned authority 2.Arranged CRT training
	Ms P.Usha Sri (16X41A0564-587)	1.Water problem in wash rooms 2. Fans and tubelights in girls washrooms	1. Plumbing done in all wash rooms 2. Informed to concerned authority
	Mr S.Suresh Babu (16X41A0588-5A9)	1.GATE coaching required	1.Provided with the help of management
	Mr Ch.Satyanarayana (16X41A05B0-17X45A0505)	1.Need materials for subjects 2.Additional classes for Java	1.Materials provided 2.conduct classes for C ,C++, Java

B. Anwar 17/3/20
 Signature of Counselling In charge

D. Venkatesh 17/3/20
 Signature of HOD

PRINCIPAL
 SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108,




SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)

DEPARTMENT OF INFORMATION TECHNOLOGY
COUNSELLING REPORT

Academic Year: 2019-2020 (SEMESTER-II)


DATE: 18/3/2020

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
IT II YEAR	Mrs. A.Veda Sri (18X41A1201-18X41A1228)	1.Chairs are not proper 2.No proper lights in washrooms 3.Seats not good in busses	1.Sufficient chairs arranged 2.Contactd to that particular electricians and problem solved 3.Told to AO sir and seats fixed properly
	Mr. G.D.K.Kishore (18X41A1229-19X45A1206)	1. Classes cleaning not good. 2.Some fans are not working in class	1.Told to floor maintenance member and maintaining cleanly 2.Contactd Electricians and solved
IT III YEAR	Mrs. B.Amritha Mishra (17X41A1202-17X41A1224)	1.Keyboards not working properly 2. Counselling about backlogs.	1.Keyboards and Keys replaced 2. Suggested reference book, previous year question papers and doubts solved for that person when required.
	Mrs. Y.V.Nandini (17X41A1225-17X41A1248)	1.Hardware PROBLEMS in lab 2. No Proper Projector in lab.	1. Hardware Problems solved. 2. Branded projector fixed in lab.
IT IV YEAR	Mrs. G.SriLakshmi (16X41A1201-16X41A1225)	1. Want mouses in labs. 2. Need more chairs in classes. 3. Need guidance about jobs.	1. Replaced with working mouses. 2.Chairs added 3.Counsellors allotted to guide about placements and future plans etc.,
	Mr. M.Suresh Babu (16X41A1226-16X41A1250)	1. Need training classes for jobs. 2. Required latest technologies in labs.	1. Classes are conducting for them. 2. Latest software's installed in labs .


 Signature of Counselling Incharge


 Signature of HOD

PRINCIPAL
 SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.




SRK INSTITUTE OF TECHNOLOGY
 Enikepadu, Vijayawada 521108
 Approved by AICTE, Affiliated to JNTUK, Kakinada
 (ISO 9001:2015 Certified Institution)


**DEPARTMENT OF INTEGRATED MASTER OF BUSINESS
 ADMINISTRATION
 COUNSELLING REPORT**

Academic Year: 2019-2020 (SEMESTER-II)

DATE: 12-03-2020

Branch & Year	Name of the Faculty	Student Feedback	Problems resolved
IMBA II YEAR	Ms. B. Indira (18X41M0001 – 18X41M0018)	1.Cleaning of water cooler is not regularly	1.Problem is rectified
	Ms. G. Sri Lalitha (18X41M0019 – 18X41M0036)	1.Need Communication skills class	1.Planned to conduct communication skills class
	Mr Dr M Veerabadra Rao (18X41M0037 – 18X41M0053)	1.Sports hour is needed	1. Allowed to go for sports after 4PM.
IMBA III YEAR	Mr. P. Naga Srinivasa Rao (17X41M0001 – 17X41M0018)	1.Conduct more cultural actives	1. Organized cultural activities on the occasion of SANKARANTHI
IMBA IV YEAR	Mr. V. Srinivas (16X41M0001 – 16X41M0016)	1.Enquired about carrier planning	1. Conducted class regarding how to plan for carrier.
	Ms. A.Pratyusha (16X41M0017 – 16X41M0032)	1.provide dustbins in class room	1.Dustbins are provided in all class rooms
IMBA V YEAR	Mr. BVSS Subba Rao (15X41M0001 – 15X41M0013) & 14X41M0004	1.Placement counseling is required	1. Conducted carrier counseling class by TPO.
IMBA I YEAR	Mr.G.Kiran 19X41M0001-19X41M0015	1.Bus facility is required from Kondapali 2. Sports material is required.	1.Intimated to transport in charge to rectify the problem 2. Intimated to PD to solve the problem
	Mr.B.Chinni 19X41M0016-19X41M0030	1.Ventelation is not good in the class room	1. Intimated to Electrical in charge and problem solved.
	Ms.Anitha.B 19X41M0031-19X41M0046	1. Wash rooms are not cleaning regularly.	1.Prolem rectified
	Mr.P.Nagarsrinivasa Rao 19X41M0047-19X41M0066	1.College timings should be reduce	1. Intimated to concern authority


 Signature of Counselling Incharge


 Signature of HOD

PRINCIPAL

SRK Institute of Technology
 ENIKEPADU, VIJAYAWADA-521 108.